



Temperature range: **+1°C/+10°C**

Refrigerating unit: **Internal**

Refrigerant/Cooling factor: **R404a / R507 / R448 / R449**

Name	KING EVO 1.0 AT	KING EVO 1.3 AT	KING EVO 1.6 AT	KING EVO 1.9 AT	KING EVO 2.5 AT
Code	KG200AT	KG201AT	KG202AT	KG203AT	KG204AT
Length [mm]	1000	1310	1610	1920	2540
Height [mm]	2150+/10	2150+/10	2150+/10	2150+/10	2150+/10
Depth [mm]	820	820	820	820	820
Capacity [dm <sup>3</sup> ]	748	966	1208	1449	1944
Display area [m <sup>2</sup> ]	2,8	3,7	4,6	5,5	7,4
Total Display Area (TDA) [m <sup>2</sup> ]-	-	-	-	-	-
Temp. range [°C]	(+1 ± +10°C)	(+1 ± +10°C)	(+1 ± +10°C)	(+1 ± +10°C)	(+1 ± +10°C)
Temp. class	-	-	-	-	-
Climate class	-	-	-	-	-
Energy efficiency class	C	C	C	C	D
Refrigerant	R404a / R507 / R448 / R449	R404a / R507 / R448 / R449	R404a / R507 / R448 / R449	R404a / R507 / R448 / R449	R404a / R507 / R448 / R449
Rated voltage [V]	230/50Hz	230/50Hz	230/50Hz	230/50Hz	230/50Hz
Rated power [W]	668	887	898	1165	1469

## Standard equipment

energy efficient cooling aggregate HITACHI placed on the back of the device

dynamic cooling (ventilated)

insulated side panels made of white coated steel - selectable colour (IGLOO pattern book)

ecological polyurethane foam insulation

bottom panel with coloured sheet - selectable colour (IGLOO colour chart)

base and front panel made of white coated steel (contact the Igloo sales department)

innovative system of the upper assembly profile

additional internal top illumination - LED lamp (color of choice: white, confectionery or meaty "deep pink")

interior and reinforced display shelves with adjustable height and suspension angle (6 levels + base shelf) from color-coated sheet - colors to choose from (Igloo pattern book)

PETG plastic fence for the goods (vivak)

price stripes - different colors available (IGLOO pattern book)

night roller blind

automatic defrost

automatic condensate pump (up to 0,6m height)

electronic temperature controller with digital display (IGLOO)

---

## Options

device without side panels prepared for multiplexing (MOD/A)

---

insulated sides with silkscreen print

---

the sides combined with a mirror (ext. glass with full silkscreen, int. mirror)

---

insulated side panels made of stainless steel

---

custom colour of full insulated sides (after consultation with the Igloo sales department)

---

custom bottom panel colour (after consultation with the Igloo sales department)

---

custom upper panel colour with aluminium profile (after consultation with the Igloo sales department)

---

bottom stainless steel panel

---

custom colors of device interior and exposition shelves (after consultation with the Igloo Sales Department)

---

device interior and exposition shelves made of stainless steel

---

interior and rack display shelves made of stainless steel

---

additional shelf backlight - magnetic LED profile with changeable position

---

top mirrors

---

meat hooks - long

---

powder painted evaporator

---

automatic defrost

---

fixed partition made of PETG (plexiglass)

---

electronic temperature control with digital display (Igloo) with integrated temperature recorder (mini USB)

---

temperature recorder wire

---

